

CHAPTER 13

REFERENCES

- Acker, W. L., III (1974). *Basic Procedures for Soil Sampling and Core Drilling*, Acker Drill Co. Inc., P.O. Box 830, Scranton, PA., 18501.
- ADSC (1995). "Recommended procedures for the entry of drilled shaft foundations excavations." The International Association of Foundation Drilling, (IAFD-ADSC), Dallas.
- American Association of State Highway and Transportation Officials (AASHTO) (1988). *Manual on Subsurface Investigations*, Developed by the Subcommittee on Materials, Washington, D.C.
- American Association of State Highway and Transportation Officials (AASHTO). (1995). *Standard specifications for transportation materials and methods of sampling and testing: part II: tests*, Sixteenth Edition, Washington, D.C.
- American Society for Testing & Materials. (2000). *ASTM Book of Standards, Vol. 4, Section 08 and 09, Construction Materials: Soils & Rocks*, Philadelphia, PA.
- Baguelin, F., Jezequel, J. F., and Shields, D. H. (1978). *The Pressuremeter and Foundation Engineering*, Trans Tech Publication, Switzerland.
- Baldi, G., Bellotti, R., Ghionna, V., Jamiolkowski, M. and LoPresti, D.C. (1989). "Modulus of sands from CPTs and DMTs", *Proceedings, 12th International Conference on Soil Mechanics & Foundation Engineering*, Vol. 1, Rio de Janeiro, 165-170.
- Barton, N.R. (1973). "Review of a new shear strength criterion for rock joints." *Engineering Geology*, Elsevier, Vol. 7, 287-332.
- Barton, N.R., Lien, R., and Lunde, J. (1974). "Engineering classification of rock masses for the design of tunnel support". *Rock Mechanics*, Vol. 6 (4), 189-239.
- Barton, N.R. (1988). "Rock mass classification and tunnel reinforcement using the Q-system.", *Rock Classification Systems for Engineering Purposes*, STP No. 984, ASTM, West Conshohocken, PA, 59-84.
- Bieniawski, Z.T. (1984). *Rock Mechanics Design in Mining and Tunneling*. Balkema, Rotterdam, 272 p.
- Bieniawski, Z. T. (1989). *Engineering Rock Mass Classifications*, John Wiley & Sons, Inc., New York.
- Bieniawski, Z. T. (1972). "Propagation of brittle fracture in rock." *Proceedings., 10th U.S. Symposium on Rock Mechanics.*, Johannesburg, South Africa.
- Bishop, A. W., and Henkel, D. J. (1962). *The Measurement of Soil Properties in the Triaxial Test*, Second Edition, Edward Arnold Publishers, Ltd., London, U.K., 227 p.
- Bishop, A. W., and Bjerrum, L. (1960). "The relevance of the triaxial test to the solution of stability problems." *Proceedings, Research Conference on Shear Strength of Cohesive Soils*, Boulder/CO, ASCE, 437-501.
- Bishop, A. W., Alpan, I., Blight, G.E., and Donald, I.B. (1960). "Factors controlling the strength of partially saturated cohesive soils.", *Proceedings, Research Conference on Shear Strength of Cohesive Soils*, Boulder/CO, ASCE, 503-532.
- Bjerrum, L. (1972). "Embankments on soft ground." *Proceedings, Performance of Earth and Earth-Supported Structures*, Vol. II, (Purdue Univ. Conf.), ASCE, Reston/VA, 1-54.
- Bolton, M.D. (1986). "The strength and dilatancy of sands", *Geotechnique*, Vol. 36 (1), 65-78.
- Briaud, J. L. (1989). "The pressuremeter test for highway applications." *Report FHWA-IP-89-008*, Federal Highway Administration, Washington, D.C., 148.
- Bruce, D. A., Xanthakos, P. P., and Abramson, L. W. (1994). "Jet grouting", *Ground Control and Improvement*, Chapter 8, 580-683.
- Burland, J.B. (1989), "Small is beautiful: The stiffness of soils at small strains", *Canadian Geotechnical Journal*, Vol. 26 (4), 499-516.

- Burmister, D. M. (1970). "Suggested methods for identification of soils." *Special Procedures for Testing Soil and Rock for Engineering Purposes*, Special Technical Publication 479, ASTM, West Conshohocken, PA, 311-23.
- Burns, S.E. and Mayne, P.W. (1996). "Small- and high-strain measurements of in-situ soil properties using the seismic cone". *Transportation Research Record 1548*, Natl. Acad. Press, Wash., D.C., 81-88.
- Burns, S.E. and Mayne, P.W. (1998). "Monotonic and dilatory pore pressure decay during piezocone tests". *Canadian Geotechnical Journal*, Vol. 35 (6), 1063-1073.
- Cambefort, H. (1964). "Injection des sols: tome 1." *Principes et Methodes*, Paris, France (in French).
- Campanella, R.G. (1994). "Field methods for dynamic geotechnical testing", *Dynamic Geotechnical Testing II* (STP 1214), ASTM, Philadelphia, 3-23.
- Campanella, R. G., and Robertson, P. K. (1981). "Applied cone research", *Cone Penetration Testing and Experience*, ASCE, Reston/VA, 343-362.
- Carter, M., and Bentley, S. P. (1991). *Correlations of Soil Properties*, Pentech Press Limited, London, U.K.
- Casagrande, A., and Fadum, R. E. (1940). "Notes on soil testing for engineering purposes." *Publication 268*, Graduate School of Engineering, Harvard University, Cambridge, Ma.
- Chandler, R.J. (1988). "The in-situ measurement of the undrained shear strength of clays using the field vane". *Vane Shear Strength Testing in Soils: Field and Laboratory Studies*. ASTM STP 1014, American Society for Testing & Materials, West Conshohocken/PA, 13-44.
- Chen, B.S-Y. and Mayne, P.W. (1996). "Statistical relationships between piezocone measurements and stress history of clays". *Canadian Geotechnical Journal*, Vol. 33 (3), 488-498.
- Cheney, R. S., and Chassie, R. G. (1993). "Soils and foundations workshop manual." *Circular FHWA: HI-88-009*, Federal Highway Administration, Washington D.C., 399.
- Clarke, B.G. (1995). *Pressuremeters in Geotechnical Design*. International Thomson Publishing/UK, and BiTech Publishers, Vancouver.
- Das, B. M. (1987). *Advanced Soil Mechanics*, McGraw-Hill Company, New York.
- Das, B. M. (1990). *Principles of Geotechnical Engineering*, PWS-Kent Publishing Company, Boston, MA, 665 p.
- Deere, D. U., and Deere, D. W. (1989). Report Manual: *Rock quality designation (RQD) after 20 years*. Contract DACW39-86-M-4273, Department of the Army, U.S. Army Corps of Engineers, Washington, D.C.
- Deere, D. U., and Miller, R. P. (1966). *Engineering classification and index properties of intact rock*, Tech. Report. No. AFWL-TR-65-116, USAF Weapons Lab., Kirtland Air Force Base, NM.
- Deere, D. U. (1963). "Technical description of rock cores for engineering purposes." *Felmechanik und Ingenieur Geologis*, 1 (1), 16-22.
- Driscoll, F. G. (1986). *Groundwater and Wells, 2nd Edition*, Johnson Filtration Systems, Inc., St. Paul, MN, 1089 p.
- Duncan, J.M. and Chang, C.Y. (1970). "Nonlinear analysis of stress and strain in soils". *Journal of the Soil Mechanics & Foundation Division (ASCE)* 96 (SM5), 1629-1653.
- Dunnicliif, J. (1988). *Geotechnical Instrumentation for Monitoring Field Performance*, John Wiley & Sons, Inc., New York.
- Fahey, M. and Carter, J.P. (1993). "A finite element study of the pressuremeter in sand using a nonlinear elastic plastic model", *Canadian Geotechnical Journal*, Vol. 30 (2), 348-362.
- Federal Highway Administration (FHWA). (1985) "Checklist and guidelines for review of geotechnical reports and preliminary plans and specifications." *Report FHWA-ED-88-053*, Washington D.C.
- Federal Highway Administration (FHWA). (1989). "Rock slopes: design, excavation, stabilization." *Circular No. FHWA: TS-89-045*, Washington, D.C.
- Finn, P. S., Nisbet, R. M., and Hawkins, P. G. (1984). "Guidance on pressuremeter, flat dilatometer and cone penetration tests in sand." *Géotechnique*, Vol. 34 (1), 81-97.

- Ford, P.J., Turina, P.J., and Seely, D.E. (1984). *Characterization of hazardous waste sites - a methods manual: vol. II, available sampling methods*, 2nd Edition, EPA 600/4-84-076 (NTIS PB85-521596). Environmental Monitoring Systems Laboratory, Las Vegas, NV.
- Foster, R. S. (1975). *Physical Geology*, Merrill Publishing, Columbus, OH.
- Franklin, J. A., and Dusseault, M. B. (1989). *Rock Engineering*, McGraw-Hill Company, New York.
- Franklin, J. A. (1981). "A shale rating system and tentative applications to shale performance." *Shales and Swelling Soils, Transportation Research Record 790*, Transportation Research Board, Washington D.C.
- Gibson, R. E. (1953). "Experimental determination of the true cohesion and true angle of internal friction in clays." *Proceedings, 3rd International Conference on Soil Mechanics and Foundation Engineering*, Zurich, Switzerland, 126-130.
- gINT - gEotechnical INTegrator Software 3.2. (1991). "gINT, gEotechnical INTegrator Software 3.2, Documentation." *Geotechnical Computer Applications, Inc.*, Santa Rosa, California.
- Goodman, R. E. (1989). *Introduction to Rock Mechanics*, Second Edition, John Wiley & Sons, Inc., New York, 562 p.
- Greenhouse, J.P., Slaine, D.D., and Gudjurgis, P. (1998). *Application of Geophysics in Environmental Investigations*, Matrix Multimedia Publishing, Toronto.
- Hardin, B.O. and Drnevich, V.P. (1972). "Shear modulus and damping in soils". *Journal of the Soil Mechanics & Foundation Division (ASCE)*, Vol. 98 (SM7), 667-692.
- Hassani, F.P., and Scoble, M.J. (1985). "Frictional mechanism and properties of rock discontinuities." *Proceedings, International Symposium on Fundamentals of Rock Joints*, Björkliden, Sweden, 185-196.
- Hatanaka, M. and Uchida, A. (1996). "Empirical correlation between penetraion resistance and effective friction of sandy soil", *Soils & Foundations*, Vol. 36 (4), Japanese Geotechnical Society, 1-9.
- Hegazy, Y.A. (1998). Delineating geostratigraphy by cluster analysis of piezocone data. *PhD Thesis*, School of Civil and Environmental Engineering, Georgia Institute of Technology, Atlanta, 464 p.
- Hilf, J. W. (1975). "Compacted fill." *Foundation Engineering Handbook*, H. F. Winterkorn and H. Y. Fang, eds., Van Nostrand Reinhold, New York, 244-311..
- Hoar, R.J. and Stokoe, K.H. (1978), "Generation and measurement of shear waves in-situ", *Dynamic Geotechnical Testing (STP 654)*, ASTM, Philadelphia, 3-29.
- Hoek, E., and Bray, J. W. (1977). *Rock Slope Engineering*, Institution of Mining and Metallurgy, London, U.K.
- Hoek, E., Kaiser, P.K., and Bawden, W.F. (1995). *Support of Underground Excavations in Hard Rock*, A.A. Balkema, Rotterdam, Netherlands.
- Hoek, E. and Brown, E.T. (1998). "Practical estimates of rock mass strength", *International Journal of Rock Mechanics & Min. Sciences*, Vol. 34 (8), 1165-1186.
- Holtz, W. G., and Gibbs, H. J. (1979). Discussion of "SPT and relative density in coarse sand." *Journal of Geotechnical Engineering*, ASCE, Vol. 105 (3), 439-441.
- Holtz, R. D., and Kovacs, W. D. (1981). *An Introduction to Geotechnical Engineering*, Prentice-Hall, Inc., Englewood Cliffs, NJ.
- Hough, B. K. (1969). *Basic Soils Engineering*, Ronald Press, New York.
- Houlsby, G.T. and Teh, C.I. (1988). "Analysis of the piezocone in clay", *Penetration Testing 1988*, Vol. 2, Balkema, Rotterdam, 777-783.
- Hunt, R. E. (1984). *Geotechnical Engineering Investigation Manual*, McGraw-Hill Inc., 983 p.
- Hvorslev, M. J. (1948). *Subsurface Exploration and Sampling of Soils for Civil Engineering Purposes*, U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- International Society for Rock Mechanics Commission (1979). "Suggested Methods for Determining Water Content, Porosity, Density, Absorption and Related Properties." *International Journal Rock Mechanics. Mining Sci. and Geomechanics Abstr.*, Vol. 16, Great Britian, 141-156.

- Jaeger, J.C. and Cook, N.G.W. (1977). *Fundamentals of Rock Mechanics*, 2nd Edition, Science Paperbacks, Chapman & Hall, London, 585 p.
- Jamiolkowski, M., Ladd, C. C., Germaine, J. T., and Lancellotta, R. (1985). "New developments in field and laboratory testing of soils." *Proceedings, 11th International Conference on Soil Mechanics & Foundation Engineering*, Vol. 1, San Francisco, 57-153.
- Jamiolkowski, M., Lancellotta, R., LoPresti, D.C.F., and Pallara, O. (1994). "Stiffness of Toyoura sand at small and intermediate strains". *Proceedings, 13th International Conference on Soil Mechanics & Geotechnical Engineering* (1), New Delhi, 169-172.
- Keaveny, J. and Mitchell, J.K. (1986). "Strength of fine-grained soils using the piezocone". *Use of In-Situ Tests in Geotechnical Engineering*, GSP 6, ASCE, Reston/VA, 668-685.
- Kovacs, W.D., Salomone, L.A., and Yokel, F.Y. (1983). "Energy Measurements in the Standard Penetration Test." *Building Science Series 135*, National Bureau of Standards, Washington, 73.
- Krebs, R. D., and Walker, E. D. (1971). "Highway materials." *Publication 272*, Department of Civil Engng., Massachusetts Institute of Technology, McGraw-Hill Company, New York, 107.
- Kulhawy, F.H. (1975). "Stress-deformation properties of rock and rock discontinuities", *Engineering Geology*, Vol. 9, 327-350.
- Kulhawy, F.H. and Mayne, P.W. (1990). Manual on Estimating Soil Properties for Foundation Design. *Report EPRI-EL 6800*, Electric Power Research Institute, Palo Alto, 306 p.
- Kulhawy, F.H. and Mayne, P.W. (1991). Relative density, SPT, and CPT interrelationships. *Calibration Chamber Testing*, (Proceedings, ISOCCT, Potsdam), Elsevier, New York, 197-211.
- Kulhawy, F.H., Trautmann, C.H., and O'Rourke, T.D. (1991). "The soil-rock boundary: What is it and where is it?". *Detection of and Construction at the Soil/Rock Interface*, GSP No. 28, ASCE, Reston/VA, 1-15.
- Kulhawy, F.H. and Phoon, K.K. (1993). "Drilled shaft side resistance in clay soil to rock", *Design and Performance of Deep Foundations: Piles & Piers in Soil & Soft Rock*, GSP No. 38, ASCE, Reston/VA, 172-183.
- Ladd, C.C., and Foott, R. (1974). "A new design procedure for stability of soft clay." *Journal of Geotechnical Engineering*, ASCE, Vol. 100 (3), 763-786.
- Ladd, C.C. (1991). Stability evaluation during staged construction. *ASCE Journal of Geotechnical Engineering* 117 (4), 540-615.
- Lambe, T.W. (1967). "The Stress Path Method." *Journal of the Soil Mechancis and Foundation Division*, ASCE, Vol. 93 (6), Proc. Paper 5613, 309-331.
- Lambe, T.W. and Marr, A.M. (1979). "Stress Path Method: Second Edition," *Journal of Geotechnical Engineering*, ASCE, Vol. 105 (6), 727-738.
- Lambe, T. W., and Whitman, R. V. (1979). *Soil Mechanics: SI Version*, John Wiley & Sons, Inc., New York, 553 p.
- Lame, G. (1852). *Lecons sur la theorie mathematique d'elasticite des corps solides*, Bachelier, Paris, France (in French).
- Leroueil, S. and Jamiolkowski, M. (1991). "Exploration of soft soil and determination of design parameters", *Proceedings, GeoCoast'91*, Vol. 2, Port & Harbor Res. Inst., Yokohama, 969-998.
- Littlechild, B.D., Hill, S.J., Statham, I., Plumbridge, G.D. and Lee, S.C. (2000). "Determination of rock mass modulus for foundation design", *Innovations & Applications in Geotechnical Site Characterization* (GSP 97), ASCE, Reston, Virginia, 213-228.
- LoPresti, D.C.F., Pallara, O., Lancellotta, R., Armandi, M., and Maniscalco, R. (1993). "Monotonic and cyclic loading behavior of two sands at small strains". *ASTM Geotechnical Testing Journal*, Vol. 16 (4), 409-424.
- LoPresti, D.C.F., Pallara, O., and Puci, I. (1995). "A modified commercial triaxial testing system for small-strain measurements". *ASTM Geotechnical Testing Journal*, Vol. 18 (1), 15-31.

- Lowe III, J., and Zacheo, P.F. (1991). "Subsurface explorations and sampling." *Foundation Engineering Handbook*, H. Y. Fang, ed., Van Nostrand Reinhold, New York, 1-71.
- Lunne, T., Powell, J.J.M., Hauge, E.A., Mokkelbost, K.H., and Uglow, I.M. (1990). "Correlation for dilatometer readings with lateral stress in clays", *Transportation Research Record* 1278, National Academy Press, Washington, D.C., 183-193.
- Lunne, T., Lacasse, S., and Rad, N.S. (1994). "General report: SPT, CPT, PMT, and recent developments in in-situ testing". *Proceedings, 12th International Conference on Soil Mechanics & Foundation Engineering*, Vol. 4, Rio de Janeiro, 2339-2403.
- Lunne, T., Robertson, P.K., and Powell, J.J.M. (1997). *Cone Penetration Testing in Geotechnical Practice*, Blackie-Academic Publishing/London, EF SPON Publishing, U.K., 317 p.
- Lupini, J.F., Skinner, A.E., and Vaughan, P.R. (1981). "The drained residual strength of cohesive soils", *Geotechnique*, Vol. 31 (2), 181-213.
- Lutenegger, A. J., DeGroot, D. J., Mirza, C., and Bozozuk, M. (1995). "Recommended guidelines for sealing geotechnical exploratory holes." *FHWA Report* 378, Federal Highway Administration Washington, D.C.
- Mair, R. J., and Wood, D. M. (1987). "Pressuremeter testing methods and interpretation." *Ground Engineering Report: In-Situ Testing*, (CIRIA), Butterworths, London, U.K.
- Marchetti, S. (1980). "In-situ tests by flat dilatometer", *Journal of the Geotechnical Engineering Division (ASCE)*, Vol. 107 (3), 832-837.
- Marchetti, S. (1997). "The flat dilatometer: design applications", *Proceedings, Third International Geotechnical Engineering Conference*, Cairo University, Egypt, 1-25.
- Marcuson, W.F. and Bieganousky, W.A. (1977). "SPT and relative density in coarse sands", *Journal of the Geotechnical Engineering Division (ASCE)*, Vol. 103 (GT11), 1295-1309.
- Mayne, P.W. and Kulhawy, F.H. (1982). " K_0 -OCR relationships in soil". *Journal of Geotechnical Engineering*, Vol. 108 (GT6), 851-872.
- Mayne, P. W., and Mitchell, J. K. (1988). "Profiling of overconsolidation ratio in clays by field vane." *Canadian Geotechnical Journal*, Vol. 25 (1), 150-158.
- Mayne, P.W., Kulhawy, F.H., and Kay, J.N. (1990). "Observations on the development of pore water pressures during piezocone tests in clays". *Canadian Geotechnical Journal*, Vol. 27 (4), 418-428.
- Mayne, P.W. and Kulhawy, F.H. (1990). "Direct & indirect determinations of in-situ K_0 in clays." *Transportation Research Record* 1278, National Academy Press, Washington, D.C., 141-149.
- Mayne, P.W. (1991). "Determination of OCR in clays by piezocone tests using cavity expansion and critical state concepts." *Soils and Foundations*, Vol. 31 (2), 65-76.
- Mayne, P.W. and Rix, G.J. (1993). " G_{max} - q_c relationships for clays", *ASTM Geotechnical Testing Journal*, Vol. 16 (1), 54-60.
- Mayne, P.W., Mitchell, J.K., Auxt, J., and Yilmaz, R. (1995). "U.S. national report on the CPT". *Proceedings, International Symposium on Cone Penetration Testing (CPT'95)*, Vol. 1, Swedish Geotechnical Society, Linköping, 263-276.
- Mayne, P.W. (1995). "Profiling yield stresses in clays by in-situ tests". *Transportation Research Record* 1479, National Academy Press, Washington, D.C., 43-50.
- Mayne, P.W. (1995). "CPT determination of OCR and K_0 in clean quartz sands". *Proceedings, CPT'95*, Vol. 2, Swedish Geotechnical Society, Linkoping, 215-220.
- Mayne, P.W., Robertson, P.K., and Lunne, T. (1998). "Clay stress history evaluated from seismic piezocone tests". *Geotechnical Site Characterization*, Vol. 2, Balkema, Rotterdam, 1113-1118.
- Mayne, P.W. and Martin, G.K. (1998). "Commentary on Marchetti flat dilatometer correlations in soils." *ASTM Geotechnical Testing Journal*, Vol. 21 (3), 222-239.
- Mayne, P.W., Schneider, J.A., and Martin, G.K. (1999). "Small- and large-strain soil properties from seismic flat dilatometer tests", *Pre-Failure Deformation Characteristics of Geomaterials*, Vol. 1 (Torino), Balkema, Rotterdam, 419-426.

- Mayne, P.W. (2001). "Stress-strain-strength-flow parameters from enhanced in-situ tests", *Proceedings, International Conference on In-Situ Measurement of Soil Properties & Case Histories* (In-Situ 2001), Bali, Indonesia, 47-69.
- Mesri, G. and Abdel-Ghaffar, M.E.M. (1993). "Cohesion intercept in effective stress stability analysis". *Journal of Geotechnical Engineering* 119 (8), 1229-1249.
- Mitchell, J.K. (1993). *Fundamentals of Soil Behavior, Second Edition*, John Wiley & Sons, New York, 437 p.
- NAVFAC, P-418. (1983). "Dewatering and groundwater control." *Naval Facilities Engineering Command, Department of the Navy; Publication No. TM 5-818-5*.
- NAVFAC, DM-7.1. (1982). "Soil Mechanics." Naval Facilities Engineering Command, Department of the Navy, Alexandria, VA.
- Ng, C.W.W., Yau, T.L.Y., Li, J.H.M, and Tang, W.H. (2001). "Side resistance of large diameter bored piles socketed into decomposed rocks", *Journal of Geotechnical & Geoenvironmental Engineering* Vol. 127 (8), 642-657.
- Obert, L., and Duvall, W. I. (1967). *Rock Mechanics and the Design of Structures in Rock*, John Wiley & Sons, Inc., New York.
- Ohta, H., Nishihara, A., and Morita, Y. (1985). "Undrained stability of K_o -consolidated clays." *Proceedings, 11th International Conference on Soil Mechanics & Foundation Engineering*, Vol. 2, San Francisco, 613-616.
- Parez, L. and Faureil, R. (1988). "Le piézocône. Améliorations apportées à la reconnaissance de sols". *Revue Française de Géotech*, Vol. 44, 13-27.
- Patton, F. D. (1966). "Multiple modes of shear failure in rock." *Proc., 1st International Congress on Rock Mechanics*, Lisbon, Portugal, 509-13.
- Peck, R. B., Hansen, W. E., and Thornburn, T. H. (1974). *Foundation Engineering*, John Wiley & Sons, Inc., New York, 514 p.
- Pough, F.H. (1988). *Rocks & Minerals*. The Peterson Field Guide Series, Houghton Mifflin Company, Boston, 317 p.
- Poulos, S.J. (1988). "Compaction control and the index unit weight". *ASTM Geotechnical Testing Journal*, Vol. 11, No. 2, 100-108.
- Powers, J. P. (1992). *Construction Dewatering*, John Wiley & Sons, Inc., New York.
- Puzrin, A.M. and Burland, J.B. (1996). "A logarithmic stress-strain function for rocks and soils." *Geotechnique*, Vol. 46 (1), 157-164.
- Rehm, B.W., Stolzenburg, T. R., and Nichols, D. G. (1985). "Field measurement methods for hydrogeologic investigations: a critical review of the literature." *EPRI Report No. EA-4301*, Electric Power Research Institute, Palo Alto, CA.
- Richart, F. E. Jr. (1977). "Dynamic stress-strain relations for soils - State of the art report." *Proceedings, 9th International Conference on Soil Mechanics and Foundation Engineering*, Tokyo, 605-612.
- Robertson, P.K. and Campanella, R.G. (1983). "Interpretation of cone penetration tests: Part I - sands; Part II - clays". *Canadian Geotechnical Journal*, Vol. 20 (4), 719-745.
- Robertson, P.K., Campanella, R.G., and Wightman, A. (1983). "SPT-CPT correlations", *Journal of the Geotechnical Engineering Division (ASCE)*, Vol. 109 (11), 1449-1459.
- Robertson, P.K. (1986). "In-situ testing and its application to foundation engineering", *Canadian Geotechnical Journal*, Vol. 23 (4), 573-584.
- Robertson, P.K., Campanella, R.G., Gillespie, D., and Grieg, J. (1986). "Use of piezometer cone data". *Use of In-Situ Tests in Geotechnical Engineering*, GSP No. 6, ASCE, New York, 1263-1280.
- Robertson, P.K., Campanella, R.G., Gillespie, D., and Rice, A. (1986). "Seismic CPT to measure in-situ shear wave velocity". *Journal of Geotechnical Engineering* 112 (8), 71-803.
- Robertson, P.K., Campanella, R.G., Gillespie, D. and By, T. (1988). "Excess pore pressures and the flat dilatometer test", *Penetration Testing 1988*, Vol. 1, Balkema, Rotterdam, 567-576.

- Robertson, P.K. (1990). "Soil classification using the cone penetration test". *Canadian Geotechnical Journal*, Vol. 27 (1), 151-158.
- Santamarina, J.C., Klein, K. and Fam, M.A. (2001). *Soils and Waves*, Particulate Materials Behavior, Characterization, & Process Monitoring, John Wiley & Sons, Ltd., New York, 488 p.
- Schmertmann, J.H. (1986). "Suggested method for performing the flat dilatometer test", *ASTM Geotechnical Testing Journal*, Vol. 9 (2), 93-101.
- Serafim, J. L. and Pereira, J. P. (1983). "Considerations of the geomechanics classification of Bieniawski." *Proceedings, International Symposium on Engineering Geology and Underground Construction*, Lisbon, 1133-44.
- Sheorey, P.R. (1997). *Empirical Rock Failure Criteria*. A.A. Balkema, Rotterdam, 176 p.
- Singh, B. and Goel, R.K. (1999). *Rock Mass Classification: A practical approach in civil engineering*. Elsevier Science Ltd., Oxford, U.K., 267 p.
- Skempton, A. W. (1957). Discussion on "The planning and design of new Hong Kong airport." *Proceedings, Institution of Civil Engineers*, Vol. 7 (3), London, 305-307.
- Skempton, A.W. (1986). "SPT procedures and the effects in sands of overburden pressure, relative density, particle size, aging, and overconsolidation". *Geotechnique*, Vol. 36, No. 3, 425-447.
- Soil Conservation Service (SCS). (1983). *National soils handbook*, Information Division, Washington, D.C.
- Sowers, G.F. (1979). *Introductory Soil Mechanics and Foundations*, Geotechnical Engineering, Fourth Edition, Macmillan, New York.
- Stagg, K. G., and Zienkiewicz, O.C. (1968). *Rock Mechanics in Engineering Practice*, John Wiley & Sons, Inc., New York.
- Stokoe, K. H., and Woods, R. D. (1972). "In-situ shear wave velocity by cross-hole method." *Journal of the Soil Mechanics & Foundations Division*., ASCE, 98 (5), 443-460.
- Stokoe, K. H., and Hoar, R. J. (1978). "Variables affecting in-situ seismic measurement." *Proceedings., Earthquake Engineering and Soil Dynamics*, ASCE, Pasadena, Ca, 919-938.
- Tanaka, H. and Tanaka, M. (1998). "Characterization of sandy soils using CPT and DMT", *Soils and Foundations*, Vol. 38 (3), 55-67
- Tatsuoka, F. and Shibuya, S. (1992). "Deformation characteristics of soils & rocks from field & lab tests." *Report of the Institute of Industrial Science* 37 (1), Serial No. 235, University of Tokyo, 136 p.
- Tatsuoka, F., Jardine, R.J., LoPresti, D.C.F., DiBenedetto, H., and Kodaka, T. (1997). "Theme Lecture: Characterizing the pre-failure deformation properties of geomaterials". *Proceedings, 14th International Conf. on Soil Mechanics & Foundation Engineering*, Vol. 4, Hamburg, 2129-2164.
- Tavenas, F., LeBlond, P., Jean, P., and Leroueil, S. (1983). "The permeability of natural soft clays: Parts I and II", *Canadian Geotechnical Journal*, Vol. 20 (4), 629-660.
- Taylor, D. W. (1948). *Fundamentals of Soil Mechanics*, John Wiley & Sons, Inc., New York.
- Teh, C.I. and Houlsby, G.T. (1991). "An analytical study of the cone penetration test in clay". *Geotechnique*, Vol. 41 (1), 17-34.
- Terzaghi, K., and Peck, R. B. (1967). *Soil Mechanics in Engineering Practice*, John Wiley & Sons, Inc., New York, 729 p.
- Terzaghi, K., Peck, R.B., and Mesri, G. (1996). *Soil Mechanics in Engineering Practice, Second Edition*, Wiley and Sons, Inc., New York, 549 p.
- U.S. Environmental Protection Agency (EPA). (1991). *Description and sampling of contaminated soils*, (EPA/625/12-9/002; November), Washington, D.C.
- U.S. Department of the Interior, Bureau of Reclamation. (1973). *Design of small dams*, United States Government Printing Office, Washington, D.C.
- U.S. Army Corps of Engineers. (1951). "Time lag and soil permeability in groundwater observations." *Waterways Experiment Station*, Bulletin No. 36, Vicksburg, MS.

- U.S. Department of the Interior, Bureau of Reclamation (1960). *Earth manual*, United States Government Printing Office, Washington, D.C.
- U.S. Department of the Interior, Bureau of Reclamation. (1986). "Soil classification handbook on Unified soil classification system." *Training Manual No. 6*; January, Geotechnical Branch, Washington, D.C.
- Van Schalkwyk, A., Dooge, N., and Pitsiou, S. (1995). "Rock mass characterization for evaluation of erodibility". *Proceedings, 11th European Conference on Soil Mechanics and Foundation Engineering*, Vol. 3, Copenhagen, Danish Geotechnical Society Bulletin 11, 281-287.
- Vucetic, M. and Dobry, R. (1991). "Effect of soil plasticity on cyclic response". *Journal of Geotechnical Engineering*, Vol. 117 (1), 89-107.
- Way, D.S. (1973). *Terrain Analysis*, Dowden, Hutchinson & Ross, Inc., Stroudsburg, Pa.
- Williamson, D.A. (1984). "Unified rock classification system." *Bulletin of the Association of Engineering Geologists*, Vol. XXI (3), 345-354.
- Windle, D., and Wroth, C. P. (1977). "In-situ measurement of the properties of stiff clays." *Proceedings, 9th International Conference on Soil Mechanics and Foundation Engineering*, Vol. 1, Tokyo, Japan, 347-352.
- Witzak, M.W. (1972). "Relationships between physiographic units and highway design factors." *National Cooperative Highway Research Program: Report 132*, Washington D.C.
- Wittke, W. (1990). *Rock Mechanics: Theory and Applications with Case Histories*, Springer-Verlag, New York.
- Woods, R. D. (1978). "Measurement of soil properties - state of the art report." *Proceedings, Earthquake Engineering and Soil Dynamics*, Vol. I, ASCE, Pasadena, CA, 91-178.
- Woods, R.D. (1994). "Laboratory measurement of dynamic soil properties". *Dynamic Geotechnical Testing II* (STP 1213), ASTM, West Conshohocken, PA, 165-190.
- Wroth, C. P., and Wood, D. M. (1978). "The correlation of index properties with some basic engineering properties of soils." *Canadian Geotechnical Journal*, Vol. 15 (2), 137-145.
- Wroth, C. P. (1984). "The interpretation of in-situ soil tests." 24th Rankine Lecture, *Géotechnique*, Vol. 34 (4), 449-489.
- Wyllie, D. C. (1992). *Foundations on Rock*. First Edition, E&F Spon Publishers, Chapman and Hall, London, 333 p.
- Youd, T.L. (1973). "Factors controlling maximum and minimum densities of sands". *Evaluation of Relative Density*, STP 523, ASTM, West Conshohocken/PA, 98-112.